


BARRETT O'NEILL

# ELEMENTARY DIFFERENTIAL GEOMETRY



# **Elementary Differential Geometry**

# Elementary Differential Geometry

---

Barrett O'Neill

DEPARTMENT OF MATHEMATICS  
UNIVERSITY OF CALIFORNIA  
LOS ANGELES, CALIFORNIA



ACADEMIC PRESS, INC.

Harcourt Brace Jovanovich, Publishers

Orlando San Diego New York  
Austin Boston London Sydney  
Tokyo Toronto

COPYRIGHT © 1966, BY ACADEMIC PRESS, INC.

ALL RIGHTS RESERVED.

NO PART OF THIS PUBLICATION MAY BE REPRODUCED OR  
TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC  
OR MECHANICAL, INCLUDING PHOTOCOPY, RECORDING, OR ANY  
INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT  
PERMISSION IN WRITING FROM THE PUBLISHER.

ACADEMIC PRESS, INC.

Orlando, Florida 32887

*United Kingdom Edition Published by*

ACADEMIC PRESS, INC. (LONDON) LTD.

24/28 Oval Road, London NW1 7DX

LIBRARY OF CONGRESS CATALOG CARD NUMBER: 66-14468

PRINTED IN THE UNITED STATES OF AMERICA

8 7 8 8 8 9    1 8 1 7 1 6 1 5

## Preface

This book is an elementary account of the geometry of curves and surfaces. It is written for students who have completed standard first courses in calculus and linear algebra, and its aim is to introduce some of the main ideas of differential geometry.

The traditional undergraduate course in differential geometry has changed very little in the last few decades. By contrast, geometry has been advancing very rapidly at the research level, and there is general agreement that the undergraduate course needs to be brought up to date. I have tried to think through the classical material, to prune and augment it, and to write down the results in a reasonably clean and modern mathematical style. However, I have used a new idea only if it really pays its way by simplifying and clarifying the exposition.

Chapter I establishes the language of the book—a language compounded of familiar parts of calculus and linear algebra. Chapter II describes the method of “moving frames,” which is introduced, as in elementary calculus, to study curves in space. In Chapter III we investigate the rigid motions of space, in terms of which congruence of curves (or surfaces) in space is defined in the same fashion as congruence of triangles in the plane.

Chapter IV requires special comment. The main weakness of classical differential geometry was its lack of any adequate definition of *surface*. In this chapter we decide just what a surface is, and show that each surface has a differential and integral calculus of its own, strictly comparable with the familiar calculus of the plane. This exposition provides an introduction to the notion of *differentiable manifold*, which has become indispensable to those branches of mathematics and its applications based on the calculus.

The next two chapters are devoted to the geometry of surfaces in 3-space. Chapter V stresses intuitive and computational aspects to give geometrical meaning to the theory presented in Chapter VI. In the final chapter, although our methods are unchanged, there is a radical shift of viewpoint. Roughly speaking, we study the geometry of a surface *as seen by its inhabi-*

*tants*, with no assumption that the surface is to be found in ordinary three-dimensional space.

No branch of mathematics makes a more direct appeal to the intuition than geometry. I have sought to emphasize this by a large number of illustrations, which form an integral part of the text. A set of exercises appears at the end of each section; these range from routine tests of comprehension to more seriously challenging problems.

In teaching from preliminary versions of this book, I have usually covered the background material in Chapter I rather rapidly, and have not devoted any classroom time to Chapter III (hence also Section 8 of Chapter VI). A course in the geometry of curves and surfaces in space might consist of: Chapter II, Chapter IV (omit Sections 6 and 8), Chapter V, and Chapter VI (omit Sections 6 and 7). This is essentially the content of the traditional undergraduate course in differential geometry, with clarification of the concepts of surface and mapping of surfaces.

The omitted sections in the list above are used only in Chapter VII. This final chapter, an extensive account of two-dimensional Riemannian geometry, is in a sense the goal of the book. Rather than shift the discourse to higher dimensions, I have preferred to retain dimension 2, so that this more sophisticated view of geometry will develop directly from the special case of surfaces in 3-space. Chapter VII is long, and on a first reading Theorem 5.9 and Sections 6 and 7 may well be omitted. Serious use of differential equations theory has been largely avoided in the early chapters; however, some acquaintance with the fundamentals of the subject will be helpful in Chapter VII.

*Los Angeles, California*

B. O'N.

# Contents

PREFACE     v

Introduction     1

## Chapter I. Calculus on Euclidean Space

1. Euclidean Space     3
2. Tangent Vectors     6
3. Directional Derivatives     11
4. Curves in  $E^3$      15
5. 1-Forms     22
6. Differential Forms     26
7. Mappings     32
8. Summary     41

## Chapter II. Frame Fields

1. Dot Product     42
2. Curves     51
3. The Frenet Formulas     56
4. Arbitrary-Speed Curves     66
5. Covariant Derivatives     77
6. Frame Fields     81
7. Connection Forms     85
8. The Structural Equations     91
9. Summary     96

## Chapter III. Euclidean Geometry

1. Isometries of  $E^3$      98
2. The Derivative Map of an Isometry     104
3. Orientation     107
4. Euclidean Geometry     112
5. Congruence of Curves     116
6. Summary     123

## Chapter IV. Calculus on a Surface

1. Surfaces in  $E^3$  124
2. Patch Computations 133
3. Differentiable Functions and Tangent Vectors 143
4. Differential Forms on a Surface 152
5. Mappings of Surfaces 158
6. Integration of Forms 167
7. Topological Properties of Surfaces 176
8. Manifolds 182
9. Summary 187

## Chapter V. Shape Operators

1. The Shape Operator of  $M \subset E^3$  189
2. Normal Curvature 195
3. Gaussian Curvature 203
4. Computational Techniques 210
5. Special Curves in a Surface 223
6. Surfaces of Revolution 234
7. Summary 244

## Chapter VI. Geometry of Surfaces in $E^3$

1. The Fundamental Equations 245
2. Form Computations 251
3. Some Global Theorems 256
4. Isometries and Local Isometries 263
5. Intrinsic Geometry of Surfaces in  $E^3$  271
6. Orthogonal Coordinates 276
7. Integration and Orientation 280
8. Congruence of Surfaces 297
9. Summary 303

## Chapter VII. Riemannian Geometry

1. Geometric Surfaces 304
2. Gaussian Curvature 310
3. Covariant Derivative 318
4. Geodesics 326
5. Length-Minimizing Properties of Geodesics 339
6. Curvature and Conjugate Points 352
7. Mappings that Preserve Inner Products 362
8. The Gauss-Bonnet Theorem 372
9. Summary 389

BIBLIOGRAPHY 391

ANSWERS TO ODD-NUMBERED EXERCISES 393

INDEX 405



# **Elementary Differential Geometry**

# Introduction

This book presupposes a reasonable knowledge of elementary calculus and linear algebra. It is a working knowledge of the fundamentals that is actually required. The reader will, for example, frequently be called upon to *use* the chain rule for differentiation, but its proof need not concern us.

Calculus deals mostly with real-valued functions of one or more variables, linear algebra with functions (linear transformations) from one vector space to another. We shall need functions of these and other types, so we give here general definitions which cover all types.

A *set*  $S$  is a collection of objects which are called the *elements* of  $S$ . A set  $A$  is a *subset* of  $S$  provided each element of  $A$  is also an element of  $S$ .

A *function*  $f$  from a set  $D$  to a set  $R$  is a rule that assigns to each element  $x$  of  $D$  a unique element  $f(x)$  of  $R$ . The element  $f(x)$  is called the *value* of  $f$  at  $x$ . The set  $D$  is called the *domain* of  $f$ ; the set  $R$  is often called the *range* of  $f$ . If we wish to emphasize the domain and range of a function  $f$ , the notation  $f: D \rightarrow R$  is used. Note that the function is denoted by a single letter, say  $f$ , while  $f(x)$  is merely a value of  $f$ .

Many different terms are used for functions—mappings, transformations, correspondences, operators, and so on. A function can be described in various ways, the simplest case being an explicit formula such as

$$f(x) = 3x^2 + 1,$$

which we may also write as  $x \rightarrow 3x^2 + 1$ .

If both  $f_1$  and  $f_2$  are functions from  $D$  to  $R$ , then  $f_1 = f_2$  means that  $f_1(x) = f_2(x)$  for all  $x$  in  $D$ . This is not a definition, but a logical consequence of the definition of function.

Let  $f: D \rightarrow R$  and  $g: E \rightarrow S$  be functions. In general, the *image* of  $f$  is the subset of  $R$  consisting of all elements of the form  $f(x)$ ; it is usually denoted by  $f(D)$ . Now if this image also happens to be a subset of the domain  $E$  of  $g$ , it is possible to combine these two functions to obtain the *composite function*  $g(f): D \rightarrow S$ . By definition,  $g(f)$  is the function whose value on each element  $x$  of  $D$  is the element  $g(f(x))$  of  $S$ .

If  $f: D \rightarrow R$  is a function and  $A$  is a subset of  $D$ , then the *restriction* of  $f$  to  $A$  is the function  $f|A: A \rightarrow R$  defined by the same rule as  $f$ , but applied only to elements of  $A$ . This seems a rather minor change, but the function  $f|A$  may have properties quite different from  $f$  itself.

Here are two vital properties which a function may possess. A function  $f: D \rightarrow R$  is *one-to-one*, provided that if  $x$  and  $y$  are any elements of  $D$  such that  $x \neq y$ , then  $f(x) \neq f(y)$ . A function  $f: D \rightarrow R$  is *onto* (or *carries  $D$  onto  $R$* ) provided that for every element  $y$  of  $R$  there is at least one element  $x$  of  $D$  such that  $f(x) = y$ . In short, the image of  $f$  is the entire set  $R$ . For example, consider the following functions, each of which has the real numbers as both domain and range:

- (1) The function  $x \rightarrow x^3$  is both one-to-one and onto.
- (2) The exponential function  $x \rightarrow e^x$  is one-to-one, but not onto.
- (3) The function  $x \rightarrow x^3 + x^2$  is onto, but not one-to-one.
- (4) The sine function  $x \rightarrow \sin x$  is neither one-to-one nor onto.

If a function  $f: D \rightarrow R$  is both one-to-one and onto, then for each element  $y$  of  $R$  there is one and only one element  $x$  such that  $f(x) = y$ . By defining  $f^{-1}(y) = x$  for all  $x$  and  $y$  so related, we obtain a function  $f^{-1}: R \rightarrow D$  called the *inverse* of  $f$ . Note that the function  $f^{-1}$  is also one-to-one and onto, and that its inverse function is the original function  $f$ .

Here is a short list of the main notations used throughout the book, in order of their appearance in Chapter I:

|                                 |                       |          |
|---------------------------------|-----------------------|----------|
| $\mathbf{p}, \mathbf{q}, \dots$ | points                | (Sec. 1) |
| $f, g, \dots$                   | real-valued functions | (Sec. 1) |
| $\mathbf{v}, \mathbf{w}, \dots$ | tangent vectors       | (Sec. 2) |
| $V, W, \dots$                   | vector fields         | (Sec. 2) |
| $\alpha, \beta, \dots$          | curves                | (Sec. 4) |
| $\phi, \psi, \dots$             | differential forms    | (Sec. 5) |
| $F, G, \dots$                   | mappings              | (Sec. 7) |

In Chapter I we define these concepts for Euclidean 3-space. (Extension to arbitrary dimensions is virtually automatic.) In Chapter IV we show how these concepts can be adapted to a surface.

A few references are given to the brief bibliography at the end of the book; these are indicated by numbers in square brackets.

# INDEX

## A

- Acceleration, 54, 68
  - of a curve in a surface, 196, 324(*Ex. 3*)
  - intrinsic, 320
- Adapted frame field, 246–251
- Algebraic area, 289–290, 386(*Ex. 6*)
- All-umbilic surface, 257–259
- Alternation rule, 27, 47, 153
- Angle, 44
  - coordinate, 210
  - exterior, 374
  - interior, 374
  - oriented, 291
- Angle function, 50(*Ex. 12*), 295(*Ex. 15*)
- Antipodal mapping, 165(*Ex. 5*)
- Antipodal points, 182
- Arc length, 51–52, 220(*Ex. 7*)
  - function, 51
- Area, 280–286
  - Area form, 283–284, 292, 309(*Ex. 4*)
  - Area-preserving mapping, 295(*Ex. 16*)
- Associated frame field, 276–277
- Asymptotic curves, 226–227, 230
- Asymptotic directions, 225–227
- Attitude matrix, 46, 88

## B

- Basis formulas, 251
- Bending, 268, 275(*Ex. 5*)
- Binormal, 57, 66, 69
- Boundary
  - of a region, 386
  - of a 2-segment, 170
- Bracket operation, 81(*Ex. 7*), 195(*Ex. 9*)
- Bugle surface, 241–242, 244(*Ex. 9*), 282–283, 291

## C

- Canonical isomorphism, 7–8, 44, 59
- Canonical parametrization, 238
- Cartan, E., 42, 92, 96, 303
- Cartesian plane, 306

- Cartesian product, 187(*Ex. 9*)
- Catenoid, 236
  - Gaussian curvature, 236, 239
    - total, 287–288
  - Gauss mapping, 296(*Ex. 20*)
  - local isometry onto, 267–268
  - as minimal surface, 236–238
  - principal curvatures, 236
- Center of curvature, 64(*Ex. 6*)
- Circle, 59, 62
- Clairut parametrization, 330–339
- Closed surface in  $E^3$ , 181(*Ex. 10*), 263<sub>n</sub>
- Codazzi equations, 249, 255
- Compact surface, 176–177, 259–260
- Complete surface, *see* Geodesically complete surface
- Composite function, 1
- Cone, 140(*Ex. 5*), 231(*Ex. 11*)
- Conformal geometric structure, 305–306, 308(*Ex. 1*), 312–313
- Conformal mapping, 268–271, 310
- Conformal patch, 270(*Ex. 7*), 279(*Ex. 2*)
- Congruence of curves, 116–123
  - determined by curvature and torsion, 117
- Congruence of surfaces, 189, 297–303
- Conjugate point, 353–359
- Connected surface, 176
- Connection equations
  - on Euclidean space, 86, 248
  - on a surface, 248, 318
- Connection forms
  - on Euclidean space, 85–90
  - on a surface, 248, 272, 277, 306
- Conoid, 233(*Ex. 20*)
- Consistent formula for a mapping, 165(*Ex. 10*)
- Coordinate angle, 210, 220(*Ex. 8*)
- Coordinate expression, 143, 165(*Ex. 6*)
- Coordinate patch, *see* Patch
- Coordinate system, 158(*Ex. 9*), 276–277
- Covariant derivative
  - Euclidean, 77–80, 116(*Ex. 5*), 189–190, 321

- intrinsic, 318–326
  - on a patch, 212, 324–326
- Covariant derivative formula, 91(*Ex. 5*), 189–190, 321
- Cross product, 47–49, 107, 110
- Cross-sectional curve, 138
- Curvature, *see also* Gaussian curvature
  - of a curve in  $E^2$ , 65(*Ex. 8*), 122–123
  - of a curve in  $E^3$ , 57, 66, 69
- Curve, 15
  - closed, 169
  - coordinate expression for, 144
  - one-one, 20
  - periodic, 20
  - plane, 61
  - regular, 20
  - simple closed, 151*n*
  - in a surface, 144–145
  - unparametrized, 20–21
- Curve segment, 56(*Ex. 10*), 167
- Cylinder, 129, 231(*Ex. 11*)
  - geodesics, 275(*Ex. 2*), 352(*Ex. 8*)
  - parametrization, 137, 141(*Ex. 6*)
- Cylindrical frame field, 82–83
  - connection forms, 89–90
  - dual 1-forms, 96(*Ex. 4*)
- Cylindrical helix, 72–75

## D

- Darboux, 81
- Degree
  - of a form, 27, 152
  - of a mapping, 386(*Ex. 6*)
- Derivative of Euclidean vector field, 113
- Derivative map, 35–40
  - of an isometry, 104
  - of a mapping of surfaces, 160–161, 166
  - of a patch, 149(*Ex. 4*)
- Diffeomorphism, 38, 40(*Ex. 11*), 161
- Differentiability, 4, 10, 33, 143, 145–146
- Differential, 23–26
- Differential form
  - closed or exact, 157(*Ex. 2*), 173–175
  - on  $E^2$ , 156
  - on  $E^3$ , 22–31
  - on a surface, 152–157
  - pullback, 163
- Direction, 196
- Directional derivative, 11–15, 149
  - computation of, 12, 25

- Director curve, 140
- Distribution parameter, 232(*Ex. 14*)
- Domain, 1
- Dot product, 42–44, 46, 82, 210
  - preserved by isometries, 105
- Dual 1-forms, 91–92, 248, 306
- Dupin curves, 208(*Ex. 5*)

## E

- $E, F, G$ , 140(*Ex. 2*), 210, 317(*Ex. 8*)
- Edge (curve), 170, 373, 377
- Ellipsoid, 142(*Ex. 10*)
  - Euclidean symmetries, 303(*Ex. 10*)
  - Gaussian curvature, 217–219, 222(*Ex. 19*)
  - isometry group, 365
  - umbilics, 223(*Ex. 23*)
- Elliptic hyperboloid, 142(*Ex. 10*), 221–222
- Elliptic paraboloid, 142(*Ex. 11*), 220(*Ex. 6*)
- Enneper's surface, 221(*Ex. 12*)
- Euclid, 335–336
- Euclidean coordinate functions, 9, 15, 24, 33, 53
- Euclidean distance, 43, 49(*Ex. 2*)
- Euclidean geometry, 112, 304–305, 308
- Euclidean plane, 5, 305, 335–336
  - local isometries, 363–364
- Euclidean space, 3, 5
- Euclidean symmetry, 302–303, 365
- Euclidean vector field, 147
- Euler-Poincaré characteristic, 378–380
- Euler's formula, 201
- Evolute, 75(*Ex. 15*)
- Exterior angle, 374
- Exterior derivative, 28–31, 31–32, 154–155

## F

- Faces, 377
- Flat surface, 207, 231(*Ex. 11*), 263(*Ex. 2*)
- Flat torus, 316, 317(*Ex. 5*), 370(*Ex. 7*)
  - imbedding in  $E^4$ , 369
- Focal point, 362
- Form, *see* Differential form
- Frame, 44
- Frame field
  - adapted, 246
  - on a curve, 120
  - on  $E^3$ , 82
  - natural, 9

principal, 254  
on surface, 251, 306  
transferred, 272-273  
Frame-homogeneous surface, 366  
Frenet, 81  
Frenet apparatus, 63(*Ex. 1*), 71  
Frenet approximation, 60-61, 65(*Ex. 9*)  
Frenet formulas, 58, 67  
Frenet frame field, 57  
Function, 1-2  
one-to-one, 2  
onto, 2

**G**

Gauss, 245, 274, 303  
Gauss-Bonnet formula, 375-377, 383-385, 388(*Ex. 11*)  
Gauss-Bonnet theorem, 380-383, 387(*Ex. 8*)  
Gauss equation, 249  
Gaussian curvature, 203-207, 310-312, *see also* individual surfaces  
differentiability, 206  
formulas  
explicit, 206, 212, 217, 253, 278  
implicit, 205, 252  
Gauss mapping and, 289  
geodesic curvature and, 339(*Ex. 19*)  
geodesics and, 355-358  
holonomy and, 325(*Ex. 5*)  
interval, 275(*Ex. 3*)  
isometric invariance, 273-275  
in Jacobi equation, 355  
polar circles and, 359-360  
polar discs and, 361(*Ex. 2*)  
principal curvatures and, 203  
shape operator and, 203  
sign, 204-205  
Gauss mapping, 194-195, 289-291  
Geodesically complete surface, 263*n*, 328-329  
shortest geodesic segments in, 348  
Geodesic curvature, 230(*Ex. 7*), 329-330, 337(*Ex. 9*)  
total, 372-373  
Geodesic polar mapping, 340-341  
Geodesic polar parametrization, 341-344  
Geodesics, 228-232, 326-363, *see also* individual surfaces  
closed, 232(*Ex. 13*)

coordinate formulas, 327, 333  
existence and uniqueness, 328  
frame fields and, 250(*Ex. 1*)  
length-minimizing properties, 339-359  
preserved by (local) isometries, 275(*Ex. 1*), 326, 362-363  
spreading of, 353-354  
on surfaces of nonpositive curvature, 358, 388(*Ex. 13*)  
Geographical patch, 134-135  
Geometric surface, 305, 308  
Gradient, 32(*Ex. 8*), 50(*Ex. 11*)  
as normal vector field, 148, 216  
Group, 103  
Euclidean, 103  
Euclidean symmetry, 302(*Ex. 7*)  
isometry, 365  
orthogonal, 104

**H**

Halmos symbol, 9  
Handle, 379, 382  
Hausdorff axiom, 186(*Ex. 5*), 345*n*  
Helicoid, 141(*Ex. 7*)  
Gauss mapping, 296(*Ex. 20*)  
local isometries, 267, 275-276  
patch computations for, 213-214  
as ruled minimal surface, 227, 233(*Ex. 22*)  
Helix, 15-16, 58-59, 119  
Hilbert's lemma, 261  
Hilbert's theorem, 263  
Holonomy, 323-325  
angle, 323  
Gaussian curvature and, 325(*Ex. 5*)  
Homogeneous surface, 366-368, 370  
Homotopic to constant, 175  
Hopf, 386, 389  
Hyperbolic paraboloid, 143(*Ex. 12*), 220(*Ex. 6*)  
Hyperbolic plane, 315-316  
geodesic completeness, 351(*Ex. 1*)  
geodesics, 334-336  
isometries, 371(*Ex. 14*)  
local isometries, 364  
of pseudo-radius  $r$ , 317(*Ex. 4*)

**I**

Identity mapping, 99  
Image, 1

- Image curve, 33
  - Immersed surface, 187(*Ex. 10*), 219, 368
  - Improper integral, 285–286
  - Induced inner product, 308, 313
  - Initial velocity, 21(*Ex. 6*)
  - Inner product, 304, 316–317
  - Integral curve, 186–187
  - Integral of function, 286, 292(*Ex. 4*)
  - Integration of differential forms, 167–176, 283–297
    - 1-forms over 1-segments, 167–169, 172–173
    - 1-forms over oriented regions, 285, 292(*Ex. 4*)
    - 2-forms over 2-segments, 169–172, 174(*Ex. 8*), 297(*Ex. 21*)
  - Interior angle, 374
  - Intrinsic distance, 264–265, 269(*Ex. 3*), 351
  - Intrinsic geometry, 271, 304
  - Inverse function, 2
  - Inverse function theorem, 39, 161–162
  - Isometric imbedding, 367–369
  - Isometric immersion, 367–369
  - Isometric invariant, 271, 304
  - Isometric surfaces, 265
  - Isometry of Euclidean space, 98–111
    - decomposition theorem, 101
    - derivative map, 104
    - determined by frames, 105
  - Isometry group, 365
  - Isometry of surfaces, 263–266, 270–275, 306
    - Euclidean isometries and, 297–299
    - isometric immersions and, 367
  - Isothermal coordinates, 279(*Ex. 2*)
- J**
- $J$  (rotation operator), 309(*Ex. 5*)
  - Jacobian, 288, 294(*Ex. 8*), 296(*Ex. 17*)
  - Jacobian matrix, 37
  - Jacobi equation, 355–357, 361(*Ex. 6*)
- K**
- Kronecker delta, 23, 45
- L**
- $\ell$ ,  $m$ ,  $n$ , 211–213
  - Lagrange identity, 209(*Ex. 6*)
  - Law of cosines, 370(*Ex. 10*)
  - Leibnizian property, 13
  - Length
    - of a curve segment, *see* Arc length
    - of a vector, 44
  - Levi Civita, 322
  - Liebnann's theorem, 262
  - Line of curvature, *see* Principal curve
  - Liouville parametrization, 339(*Ex. 18*)
  - Local isometry, 265–270, 362–365
    - of constant curvature surfaces, 364
    - criteria for, 266, 269(*Ex. 1*), 270(*Ex. 10*)
    - determined by frames, 363
  - Local minimization of arc length, 352–358
- M**
- Manifold, 184–187
  - Mapping
    - of Euclidean spaces, 32–41
    - of surfaces, 158–166
  - Mean curvature, 203, 205–208, 212, 217, 252
  - Mercator projection, 271(*Ex. 13*)
  - Metric tensor, 305
  - Minimal surface, 207, 275(*Ex. 5*)
    - examples, 238
    - flat, 263(*Ex. 1*)
    - Gauss mapping, 294(*Ex. 6*), 296(*Ex. 20*)
    - of revolution, 236–238
    - ruled, 233(*Ex. 22*)
  - Minimization of arc length, 340
  - Möbius band, 178, 180(*Ex. 7*)
  - Monge patch, 127, 219
  - Monkey saddle, 132(*Ex. 6*), 205, 231(*Ex. 9*)
    - Gaussian curvature, 220(*Ex. 5*)
- N**
- Natural coordinate functions, 4
  - Natural frame field, 9
  - Neighborhood, 43, 125
    - normal, 341
  - Norm, 43
  - Normal curvature, 195–202, 221(*Ex. 14*)
    - sign-of, 198
  - Normal section, 197
  - Normal vector field, 147
  - $n$ -polygon, 388–389
- O**
- 1-segment, 167
  - One-to-one, 2

Onto, 2  
 Open interval, 15  
 Open set, 5, 43, 151–152  
 Orientable surface, 177–178, 185(*Ex. 1*)  
 Orientation  
   determined by a patch, 374  
   of a frame, 107  
   of a patch, 285  
   of a paving, 285  
   of a surface, 195, 284  
   of tangent frame fields, 291  
 Orientation-preserving (-reversing) isometry, 109, 296  
 Orientation-preserving (-reversing) reparametrization, 52  
 Oriented angle, 291  
 Orthogonal coordinates, 276–280  
   Gaussian curvature formula, 278  
 Orthogonal matrix, 46  
 Orthogonal transformation, 100  
 Orthogonal vectors, 44  
 Orthonormal expansion, 45–46, 83  
 Orthonormal frame, *see* Frame  
 Osculating circle, 64(*Ex. 6*)  
 Osculating plane, 61

## P

Parallel curves, 116  
 Parallel postulate, 336  
 Parallel surfaces, 209–210  
 Parallel translation, 323  
 Parallel vector field, 54–55, 322  
 Parallel vectors, 6  
 Parameter curves, 133  
 Parametrization of a curve, 21  
 Parametrization in a surface, 135  
   criteria for regularity, 136, 140(*Ex. 2*)  
   decomposable into patches, 165(*Ex. 9*)  
 Partial velocities, 134, 136, 146  
 Patch, 124–137  
   abstract, 182, 184  
   geometric computations, 210–216  
   Monge, 127  
   orthogonal, 220(*Ex. 9*), 276–280  
   principal, 220(*Ex. 9*), 280(*Ex. 4*)  
   proper, 124, 152(*Ex. 14*)  
 Patchlike 2-segment, 281  
 Paving, 283, 377  
 Planar point, 205  
 Plane in  $E^3$ , 60, 131(*Ex. 2*), 228, 256  
   identified with  $E^2$ , 126

Poincaré half-plane, 309(*Ex. 2*)  
   Gaussian curvature, 317(*Ex. 1*)  
   geodesics, 337(*Ex. 6*)  
   isometric to hyperbolic plane, 371(*Ex. 15*)  
   polar circles, 351(*Ex. 2*)  
 Point of application, 6  
 Pointwise principle, 8  
 Polar circle, 346, 359–360  
 Polar disc, 361(*Ex. 2*)  
 Polygonal region, 386  
 Pre-geodesic, 330  
 Principal curvatures, 199–207  
   as characteristic values, 200  
   formula for, 206  
 Principal curve, 223–225, 230–232, 263(*Ex. 4*)  
 Principal direction, 199  
 Principal frame field, 254  
 Principal normal, 57, 66, 69  
 Principal vectors, 199, 220(*Ex. 10*), 223(*Ex. 22*)  
   as characteristic vectors, 200  
 Projective plane, 182–183  
   geodesics, 337(*Ex. 8*)  
   geometric structure, 317(*Ex. 6*)  
   homogeneity, 371(*Ex. 11*)  
   natural mapping (projection), 183  
   topological properties, 186(*Ex. 2*)  
 Pseudosphere, *see* Bugle surface  
 Pullback, 163

## Q

Quadratic approximation, 202–204  
 Quadric surface, 142, 294(*Ex. 10*)

## R

Rectangular decomposition, 377  
 Reflection, 109  
 Regular curve, 20  
 Regular mapping, 38, 161  
 Reparametrization, 18  
   monotone, 56(*Ex. 10*)  
   orientation-preserving (-reversing), 52  
   unit-speed, 51  
 Riemann, 304, 336  
 Riemannian geometry, 308, 389–390  
 Riemannian manifold, 308  
 Rigid motion, *see* Isometry of Euclidean space  
 Rigidity, 301(*Ex. 1*)



- Rotation, 111(*Ex. 4*)
- Ruled surface, 140–143, 227, 231–233
  - noncylindrical, 232(*Ex. 14*)
  - total Gaussian curvature, 294(*Ex. 9*)
- Ruling, 140
- S**
- Saddle surface, 192
  - doubly ruled, 227
  - Euclidean symmetries, 303(*Ex. 9*)
  - patch computations, 214–216
  - principal vectors, 221(*Ex. 11*)
- Scalar multiplication, 3, 8–9
- Scale factor, 268
- Scherk's surface, 222(*Ex. 21*)
  - patch in, 303(*Ex. 11*)
  - Gauss mapping, 296(*Ex. 20*)
- Schwarz inequality, 44
- Serret, 81
- Shape operator, 190–194
  - characteristic polynomial, 208(*Ex. 4*)
  - covariant derivatives and, 324(*Ex. 3*)
  - as derivative of Gauss mapping, 289
  - frame fields, in terms of, 248
  - Gaussian and mean curvature, and, 203
  - of an immersed surface, 368
  - normal curvature and, 196
  - preserved by Euclidean isometries, 297–298
  - principal curvatures and vectors, and, 200
  - proof of symmetry, 212–213, 251(*Ex. 6*)
- Shortest curve segment, 340
- Sign of an isometry, 108
- Simple region, 294–295
- Simply connected surface, 176, 363
- Slant of a geodesic, 331, 338
- Smooth overlap, 145, 182
- Speed, 51
- Sphere, 128
  - conjugate points, 354, 357–358
  - Euclidean symmetries, 302(*Ex. 8*)
  - frame-homogeneity, 370(*Ex. 6*)
  - Gaussian curvature, 207, 219(*Ex. 1*), 253, 360, 361(*Ex. 2*)
  - geodesics, 228–229, 346–347
  - geographical patch, 134–135, 277–278
  - geometric characterizations, 258, 259, 262
  - geometric structures, 383
  - with handles, 379
  - holonomy, 323–324, 337(*Ex. 4*)
  - local isometries, 363–365
  - rigidity, 301(*Ex. 1*)
  - shape operator, 191–192
  - topological properties, 176–178, 378
- Spherical curve, 63, 65(*Ex. 10*)
- Spherical frame field, 83
  - adapted to sphere, 248–249, 277–278
  - dual and connection forms, 94–95
- Spherical image
  - of a curve, 71, 75(*Ex. 11*)
  - of a surface, *see* Gauss mapping
- Standard geometric surface, 363–366
- Stereographic plane, 314
- Stereographic projection, 160, 162
  - as conformal mapping, 271(*Ex. 14*)
- Stereographic sphere, 314, 337(*Ex. 5*)
- Stokes' theorem, 170–172, 387(*Ex. 7*)
- Straight line, 15, 18, 55, 229(*Ex. 1*)
  - length-minimizing properties, 56(*Ex. 1*)
- Striction curve, 232(*Ex. 14*)
- Structural equations
  - on  $E^3$ , 92–95
  - on a surface, 249, 252, 292, 311–312
- Subset, 1
- Support function, 218, 222, 256
- Surface
  - abstract, 182–184
  - in  $E^3$ , 125, 306, 367
  - implicit definition, 127–128
  - geometric, 305
  - immersed, 368
- Surface of revolution, 129–130, 234–244
  - area, 292(*Ex. 2*)
  - augmented, 133(*Ex. 12*)
  - of constant curvature, 239–241, 244(*Ex. 9*), 294(*Ex. 7*)
  - diffeomorphism types, 187(*Ex. 8*)
  - Gaussian curvature, 235, 238, 242, 243(*Ex. 5*)
  - geodesics, 338(*Ex. 13*)
  - local characterization, 270(*Ex. 12*)
  - meridians and parallels, 130
  - natural frame field, 279
  - parametrization
    - canonical, 238
    - special, 143(*Ex. 13*)
    - usual, 138–139
  - principal curvatures, 235
  - principal curves, 225, 235

topological properties, 182(*Ex. 14*)  
 total curvature, 293(*Ex. 5*)  
 Symmetry equation, 249

## T

Tangent bundle, 185  
 Tangent line, 22(*Ex. 9*)  
 Tangent plane, 146, 150(*Ex. 9*)  
 Tangent space, 7  
 Tangent surface, 231(*Ex. 11*)  
   isometries of, 270(*Ex. 5*), 301(*Ex. 2*)  
 Tangent vector  
   to  $E^3$ , 6, 14  
   to a surface, 146, 183–184  
*Theorema egregium*, 273–275  
 Topological properties, 176–182, 380*n*  
 Toroidal frame field, 84(*Ex. 4*), 95(*Ex. 2*),  
   250–251  
 Torsion, 58, 66  
   formula, 69  
   sign, 114–115  
 Torus of revolution, 139  
   Euler-Poincaré characteristic, 379, 387  
     (*Ex. 9*)  
   Gaussian curvature, 204–205, 235–236  
   Gauss mapping, 194(*Ex. 5*), 290–291  
   patch computations, 235–236  
   total Gaussian curvature, 287, 291  
   usual parametrization, 139  
 Total curvature of a curve, 76(*Ex. 16*)  
 Total Gaussian curvature, 286–291, 380–  
   385  
   Euler-Poincaré characteristic, and, 380  
   Gauss mapping, and, 290  
   holonomy and, 325(*Ex. 5*)  
   of a patch, 325(*Ex. 5*)  
 Total geodesic curvature, 372–375, 386  
   (*Ex. 4*), 389(*Ex. 15*)

Transferred frame field, 272–273  
 Translation, 98–100, 109  
 Triangle, 383–385  
 Triangle inequality, 347  
 Triple scalar product, 48–49, 108  
 Tube, 221(*Ex. 16*)  
   2-segment, 169

## U

Umbilic point, 200, 221(*Ex. 13*), *see also*  
   All-umbilic surface  
 Unit normal function, 211, 368  
 Unit normal vector field, 180(*Ex. 5*), 190  
 Unit points, 34  
 Unit speed curve, 51  
 Unit sphere, 125  
 Unit tangent, 56, 66, 69  
 Unit vector, 44

## V

Vector, *see* Tangent vector  
 Vector analysis, 31(*Ex. 8*)  
 Vector field  
   on an abstract surface, 183  
   on a curve, 52–54, 320  
   on Euclidean space, 8  
   on a surface in  $E^3$ , 147–149, 151(*Ex. 12*)  
     normal, 147, 149  
     tangent, 147, 149  
 Vector part, 6  
 Velocity, 17–18, 183–184  
 Vertices, 373–374

## W

Wedge product, 27–28, 153  
 Winding number, 174(*Ex. 5*)

ISBN 0-12-526750-9